

日本 富士牌 無熔線斷路器

富士 104/07 版

型式	IEC947-2 啟斷容量 KA (Icu/Ics)				尺寸(mm)			機種	極數	AF	電流容量		定價
	110V	240V	400V	440V	W	L	H				AT (跳脫電流)		
歐規軌道式	20	10	6(260V)		18	81	70	BC61E	1	63	16,20,32		485
	20	20	10	6	36	81	70	BC62E	2	63	16,20,32,40,50,63		1,075
	20	20	10	6	54	81	70	BC63E	3	63	16,20,32,40,50,63		2,410
Global Twin 配電工業用型	2.5/2	2.5/2	1.5/1	1.5/1	50	100	84	BW32AAG	2	32	3,5,10,15,20,30		850
					75	100	84		3				1,085
	5/3	5/3	2.5/2	2.5/2	50	100	84	BW32SAG	2	32	3,5,10,15,20,30		935
					75	100	84		3				1,415
	2.5/2	2.5/2	1.5/1	1.5/1	50	100	84	BW50AAG	2	50	40,50		1,190
					75	100	84		3				1,380
	5/3	5/3	2.5/2	2.5/2	50	100	84	BW50EAG	2	50	40,50		1,300
					75	100	84		3				1,470
	10/5	10/5	7.5/4	7.5/4	50	100	84	BW50SAG	2	50	5,10,15,20,30,40,50		1,755
	15/8	15/8	7.5/4	7.5/4	75	100	84	BW50ZSG	3	50	5,10,15,20,30,40,50		2,095
	25/13	25/13	10/5	10/5	50	100	84	BW50RAG	2	50	10,15,20,30,40,50		2,095
					75	100	84		3				2,550
	5/3	5/3	2.5/2	2.5/2	50	100	84	BW63EAG	2	63	60		1,300
					75	100	84		3				1,470
	10/5	10/5	7.5/4	7.5/4	50	100	84	BW63SAG	2	63	60		1,755
	15/8	15/8	7.5/4	7.5/4	75	100	84	BW63ZSG	3	63	60		2,095
	25/13	25/13	10/5	10/5	50	100	84	BW63RAG	2	63	60		2,095
					75	100	84		3				2,550
	25/13	25/13	10/5	10/5	50	100	84	BW100EAG	2	100	75,100		2,150
					75	100	84		3				2,720
	50/25	50/25	30/15	30/15	60	155	95	BW125JAG	2	125	15,20,30,40,50,60,75,100,125		3,510
					90	155	95		3				3,850
					120	155	95		4				詢價
	100/50	100/50	50/25	50/25	90	155	95	BW125RAG	2	125	15,20,30,40,50,60,75,100,125		5,320
90					155	95	3		6,340				
120					155	95	4		詢價				
36/18	36/18	18/9	18/9	105	165	95	BW250EAG	2	250	125,150,175,200,225,250		6,000	
				105	165	95	3	6,120					
50/25	50/25	30/15	30/15	105	165	95	BW250JAG	3	250	125,150,175,200,225,250		8,160	
				140	165	95	4	詢價					
100/50	100/50	50/25	50/25	105	165	95	BW250RAG	3	250	125,150,175,200,225,250		8,950	
				140	165	95	4	詢價					
50/25	50/25	30/15	30/15	140	257	146	BW400EAG	2	400	250,300,350,400		11,330	
				140	257	146	3	11,890					
85/43	85/43	36/18	36/18	140	257	146	BW400SAG	3	400	250,300,350,400		1,4160	
100/50	100/50	50/25	50/25	140	257	146	BW400RAG	3	400	250,300,350,400		17,000	
				185	257	146	4	詢價					
125/63	125/63	70/35	70/35	140	257	146	BW400HAG	3	400	250,300,350,400		24,360	
				185	257	146	4	詢價					
100/50	100/50	50/25	50/25	210	275	146	BW630RAG	3	630	500,600		26,630	
				280	275	146	4	詢價					
125/63	125/63	70/35	70/35	210	275	146	BW630HAG	3	630	500,600		39,660	
				280	275	146	4	詢價					
100/50	100/50	50/25	50/25	210	275	146	BW800RAG	3	800	700,800		38,530	
				280	275	146	4	詢價					
125/63	125/63	70/35	70/35	210	275	146	BW800HAG	3	800	700,800		48,160	
				280	275	146	4	詢價					
125/32	125/32	65/17	65/17	90	155	60	H102BA	2	100	15,20,30,40,50,60,75,100		6,800	
							H103BA	3				7,590	
125/32	125/32	65/17	65/17	105	165	60	H203BA	3	225	125,150,175,200,225		10,880	
												40,50,60,75,100	20,400
125	125	100	85	105	165	99	H203R	3	225	125,150,175,200,225		32,290	
125/63	125/63	125/63	125/63	140	257	103	H403R	3	400	250,300,350,400		46,460	
125/63	125/63	125/63	125/63	210	275	103	H603R	3	600	500,600		60,060	
125/63	125/63	125/63	125/63	210	275	103	H803R	3	800	700,800		72,530	
100/85	100/85	60/50	60/50	210	400	105	S1003	3	1000	1000		67,090	
100/85	100/85	60/50	60/50	210	400	105	S1203	3	1200	1200		81,370	
150/130	150/130	100/85	100/85	210	406	140	SE1603	3	1600	1000 非可調型		74,800	
										1200 非可調型		89,530	
										1000~1600 可調整型		160,900	

備註:BW100 型以下 DC 專用另行報價

日本 富士牌 漏電斷路器.安全開關.附屬裝置

富士 104/07 版

型式	IEC947-2 啟斷容量 KA (Icu/Ics)				尺寸(mm)			機種	極數	AF	電 流 容 量 AT (跳脫電流)	定 價	
	100V	230V	440V	感度電流(mA)	W	L	H						
漏	1.5	1.5	-	30	68	70	40	DV32	2	30	30	1,755	
					90	80	40	DV33	3			2,150	
	5/3	2.5/2	1.5/1	30	75	100	60	EW32EAG	3	32	5,10,15,20,30	3,225	
	5/3	5/3	2.5/2	30,100/200/500	75	100	60	EW32SAG	3	32	3,5,10,15,20,30	3,910	
	2.5/2	2.5/2	-	30	50	100	60	EW50AAG	2	50	5,10,15,20,30,40,50	2,550	
	5/3	5/3	2.5/2	30,100/200	75	100	60	EW50EAG	3	50	40,50	4,360	
	10/5	10/5	7.5/4	30,100/200/500	75	100	60	EW50SAG	3	50	5,10,15,20,30,40,50	6,000	
	25/13	25/13	10/5	30,100/200/500	75	100	60	EW50RAG	3	50	10,15,20,30,40	6,450	
	5/3	5/3	2.5/2	30,100/200	75	100	60	EW63EAG	3	63	60	4,360	
	10/5	10/5	7.5/4	30,100/200/500	75	100	60	EW63SAG	3	63	60	6,000	
電	10/5	10/5	-	30	75	100	60	EW100EAG	2	100	50,60,75,100	6,120	
	25/13	25/13	10/5	30,100/200/500	75	100	60	EW100EAG	3	100	50,60,75,100	6,450	
	50/25	50/25	30/15	30, 100/200/500/1000	90	155	68	EW125JAG	3	125	15,20,30,40,50,60, 75,100,125	11,330	
					120	155	68		4			詢價	
	100/50	100/50	50/25	30, 100/200/500/1000	90	155	68	EW125RAG	3	125	15,20,30,40,50,60, 75,100,125	16,430	
					120	155	68		4			詢價	
	36/18	36/18	18/9	30, 100/200/500/1000	105	165	68	EW250EAG	3	250	125,150,175, 200,225,250	13,600	
	50/25	50/25	30/15		105	165	68	EW250JAG	3			20,400	
					140	165	68		4	125,150,175,200,225	詢價		
	100/50	100/50	50/25	30, 100/200/500/1000	105	165	68	EW250RAG	3	250	125,150,175,200, 225,250(4P無250A)	23,230	
				140	165	68		4	詢價				
50/25	50/25	30/15	30, 100/200/500/1000	140	257	103	EW400EAG	3	400	250,300,350,400	27,200		
85/43	85/43	36/18	100/200/500/1000	140	257	103	EW400SAG	3	400	250,300,350,400	32,290		
100/50	100/50	50/25	30, 100/200/500/1000	140	257	103	EW400RAG	3	400	250,300,350,400	53,830		
				185	257	103		4			詢價		
125/63	125/63	70/35	30, 100/200/500/1000	140	257	103	EW400HAG	3	400	250,300,350,400	詢價		
				185	257	103		4			詢價		
100/50	100/50	50/25	100/200/500/1000	210	275	103	EW630RAG	3	630	500,600	68,000		
125/63	125/63	70/35		210	275	103	EW630HAG	3	630	500,600	詢價		
100/50	100/50	50/25	100/200/500/1000	210	275	103	EW800RAG	3	800	700,800	85,000		
125/63	125/63	70/35		210	275	103	EW800HAG	3	800	700,800	詢價		
迴路保護器	DC 迴路保護器(期貨)請於型式後加(DC)規格說明 ※價格比照 MS 之折數										AC	DC	
	啟斷容量 AC250V1KA /DC50V1KA								CP31D	1	0.3,0.5,1,2,3,5,7,10, 15,20,25,30	750	785
	啟斷容量 AC250V1KA /DC50V1KA								CP32D	2		1,610	1,680
	啟斷容量 AC250V2.5KA /DC50V1.5KA								CP31	1	詢價	詢價	
	啟斷容量 AC250V1KA /DC50V1KA								CP31D/W	1	0.3,0.5,1,2,3,5,7,10,	1,045	1,095
	啟斷容量 AC250V1KA /DC50V1KA								CP32D/W	2	15,20,25,30	1,930	2,025
啟斷容量 AC250V2.5KA /DC50V1.5KA								CP31/W	1	(附補助接點)	詢價	詢價	
附屬裝置	端子台 \$560 (必須與附屬裝置同時出貨) (註1)附屬裝置須與NFB,ELCB同時出貨(註2)2P 附屬裝置只能裝右側												
	適用 NFB(漏電適用)			AUX 補助開關 W			ALM 警報開關 K			SHUNT 分路跳脫 F		(UV)不足電壓 R	
	BW/EW32~100 2P			BZ6WR10C			850 BZ6KR10C			850 BZ6F□10C		1,245 BZ6R□10C	
	BW/EW32~100 3P			BZ6WR(L)10C			850 BZ6KR(L)10C			960 BW9F□G0		2,040 BW9RGA□	
	BW125J 2P			BW9W1SG0R			960 BW9K1SG0R			3,400 BW9FHA□		3,400 BW9RHA□	
	BW125,BW250			BW9W1SG0			960 BW9K1SG0			詢價 R-120		詢價	
BW/EW400,630,800			BW9W1SHA			1,755 BW9K1SHA			4,245 F-120		詢價		
S1003/1203,SE1603			W-120			4,245 K-120							
操作把手及保護蓋	V 型手柄專用調整安裝距離用調整軸:BZ-6V10D 以下用 BZ-6VS1D \$詢價 BW-9V0CA/GA 用 BW9VSG0 \$詢價 BW9V0HA/JA 用 BZ-VS2 \$詢價												
	NFB 型式(漏電開關適用)		N 型把手(圓盤型)		G 型把手(圓盤型長柄)		V 型把手(可調距離)		短型保護蓋		長型保護蓋		
			安裝於 NFB 上		(期貨)調整軸另購				二片		二片		
	BW/EW32~100 (2P)		BZ6N10D 1,640		BZ6V10D 2,775		BW9BTAAS2 260		BW9BTAAL2 260		BW9BTAAL2W 160		
							BW9BTAAS2W 160		BW9BTAAL3 265		BW9BTAAL3W 170		
	BW/EW32~100 (3P)		BZ6N10D 1,640		BZ6V10D 2,775		BW9BTAAS3 265		BW9BTAAL3 265		BW9BTAAL3W 170		
							BW9BTAAS3W 170		BW9BTCAS2 詢價		BW9BTCAL2 詢價		
	BW125J (2P)						BW9BTCAS3 詢價		BW9BTCAL3 詢價				
	BW125R (2P)		BW9N0CA 1,640		BW9V0CA 2,775		BW9BTGAS3 詢價		BW9BTGAL3 詢價				
	BW/EW125(3P)						BW9BTHAS3 詢價		BW9BTHAL3 詢價				
	BW250,EW250		BW9N0GA 1,640		BW9V0GA 2,775				BW9BTJAL3 詢價				
	BW400,EW400		BW9N0HA 詢價		BW9V0HA 詢價								
BW/EW630,800		BW9N0JA 詢價		BW9V0JA 詢價									
S1003,S1203		N-120-Q 詢價											
SE1603		N-160-Q 詢價											

日本 富士牌 電磁接觸器 . 過載保護電驛

富士 104/07 版

AC1 (A)	補助 接點	額定電流 AC3		電磁接觸器		熱動保護電驛(A)	2 素子 TH		3 素子 TH		欠相 TH	
		220V	440V	機 種	定 價	規 格 (最 大 值)	機 種	定 價	機 種	定 價	機 種	定 價
20	1a 或 1b	11	9	SC-03	670	0.15,0.2,0.24,0.3,0.36,0.45						
20	1a 或 1b	13	12	SC-0	715	0.54,0.72,0.96,1.2,1.45,2.2	TR-0N	440	TR-0N/3	655	TK-0N	990
20	1a1b/2a	13	12	SC-05	960	2.6,3.4,4.2,6,8,9,11,13						
20	1a 或 1b	18	16	SC-4-0	1,180	0.15,0.2,0.24,0.3,0.36,0.45						
32	1a 或 1b	22	22	SC-4-1	1,230	0.54,0.72,0.96,1.2,1.45,2.2	TR-5-1N	545	TR-5-1N/3	810	TK-5-1N	1,145
32	1a1b/2a	22	22	SC-5-1	1,240	2.6,3.4,4.2,6,8,9,11,13,18,22						
50	2a2b	32	32	SC-N1	1,770	6,8,9,11,13,18,26,36	TR-N2	665	TR-N2/3	995	TK-N2	1,480
60	2a2b	40	40	SC-N2	2,405	6,8,9,11,13,18,26,36,42	TR-N2	665	TR-N2/3	995	TK-N2	1,480
80	2a2b	50	50	SC-N2S	2,965	11,13,18,26,36,40,50,65	TR-N3	830	TR-N3/3	1,250	TK-N3	1,555
100	2a2b	65	65	SC-N3	3,530	11,13,18,26,36,40,50,65,68	TR-N3	830	TR-N3/3	1,250	TK-N3	1,555
135	2a2b	80	80	SC-N4	5,300	26,36,40,50,65,80	TR-N5	960	TR-N5/3	1,440	TK-N5	1,695
150	2a2b	105	105	SC-N5A	6,360	26,36,40,50,65,80,95,105	TR-N5	960	TR-N5/3	1,440	TK-N5	1,695
150	2a2b	125	125	SC-N6	8,190	65,80,95,125	TR-N6	1,680	TR-N6/3	2,435	TK-N6	2,615
200	2a2b	150	150	SC-N7	11,870	65,80,95,125,160	TR-N7	2,120	TR-N7/3	3,180	TK-N7	3,320
260	2a2b	180	180	SC-N8	14,840	95,125,160,185	TR-N8	2,275	TR-N8/3	3,285	TK-N8	3,600
260	2a2b	220	220	SC-N10	18,850	125,160,185,240	TR-N10	詢價	TR-N10/3	詢價	TK-N10	詢價
350	2a2b	300	300	SC-N11	詢價	160,185,240,300	TR-N12	詢價	TR-N12/3	詢價	TK-N12	詢價
450	2a2b	400	400	SC-N12	詢價	240,300,360,450	TR-N12	詢價	TR-N12/3	詢價	TK-N12	詢價
660	2a2b	600	600	SC-N14	詢價	360,450,600	TR-N14	詢價	TR-N14/3	詢價	TK-N14	詢價
800	2a2b	800	800	SC-N16	詢價							

日本 富士牌 正逆接觸器 & 電磁開關 . Y-Δ 啟動開關

富士 104/07 版

正逆轉電磁接觸器		額定容量 HP		正逆電磁開關開放式		主電壓 220V Y-Δ			380/440V Y-Δ		
AC1	機 種 定 價	220V	380V	機 種 定 價	HP	SYO 開放	SY 附箱	HP	SYO 開放	SY 附箱	
20A	SC-03RM 2,105	3	5.5	SW-03RM 2,680	10	8,760	13,280	20	9,610	13,990	
20A	SC-0RM 2,190	3	7.5	SW-0RM 2,770	15	10,740	16,250	30	10,740	16,250	
20A	SC-05RM 2,965	4	7.5	SW-05RM 3,585	20	13,140	18,370	40	14,840	20,490	
25A	SC-4-0RM 3,035	4	10	SW-4-0RM 3,770	25	14,840	20,490	50	14,840	20,490	
32A	SC-4-1RM 3,200	7.5	15	SW-4-1RM 3,940	30	16,960	22,610	60	16,960	22,610	
32A	SC-5-1RM 3,200	7.5	15	SW-5-1RM 3,940	40	21,900	28,260	75	17,660	26,140	
50A	SC-N1RM 5,010	10	20	SW-N1RM 5,990	50	25,440	31,800	100	25,440	32,500	
60A	SC-N2RM 6,500	15	25	SW-N2RM 7,540	60	29,680	36,040	125	33,210	42,400	
80A	SC-N2SRM 7,490	20	30	SW-N2SRM 8,760	75	41,690	49,460	150	45,930	53,700	
100A	SC-N3RM 10,030	25	40	SW-N3RM 11,440	100	52,250	59,350	180	55,800	62,150	
135A	SC-N4RM 15,540	30	50	SW-N4RM 17,380	125	64,300	74,900	220	70,650	81,950	
150A	SC-N5ARM 16,960	40	75	SW-N5ARM 18,860	150	84,800	96,100	270	96,100	107,400	
150A	SC-N6RM 25,440	50	80	SW-N6RM 28,490	180	101,700	117,300	340	117,300	132,800	
200A	SC-N7RM 36,040	60	100	SW-N7RM 40,160	220	111,600	127,200	420	120,100	135,600	
260A	SC-N8RM 40,340	75	125	SW-N8RM 44,700	270	117,300	132,800	500	125,700	141,300	
260A	SC-N10RM 詢價	90	150	SW-N10RM 詢價	340	204,900	226,100	600	219,000	233,200	
350A	SC-N11RM 詢價	120	180	SW-N11RM 詢價	備註:操作電壓為 220V 如需 380 或 440V 變壓器 50HP(含)以下 每台加收實價 \$ 650 60HP ~ 180HP 每台加收實價 \$ 950 215HP ~ 500HP 每台加收實價 \$ 1,700						
450A	SC-N12RM 詢價	160	300	SW-N12RM 詢價							

日本 富士牌 低壓電磁開關

富士 104/07 版

額定容量 HP		補助 接點	開放式二素子		開放式三素子		開放式欠相 TH		附殼不附押扣		保護電驛獨立座	
220V	440V		機種	定價	機種	定價	機種	定價	機種	定價		
3.5	5.5	1a						(膠殼附押扣)	FW-0PL	2,895	SZ-HCTR51N 用	160
3.5	5.5	1a 或 1b	SW-03	1,175	SW-03/3H	1,380	SW-03/2E	詢價	SW-03C	1,975	SZ-HD TRN2 用	325
4.5	7.5	1a 或 1b	SW-0	1,220	SW-0/3H	1,425	SW-0/2E	詢價	SW-0C	1,975	SZ-HE TRN3 用	405
4.5	7.5	1a1b/2a	SW-05	1,475	SW-05/3H	1,680	SW-05/2E	詢價	SW-05C	2,330	主迴路突波吸收器	
6	10	1a 或 1b	SW-4-0	1,825	SW-4-0/3H	2,075	SW-4-0/2E	詢價			SZ-ZM1(正裝)	詢價
7.5	15	1a 或 1b	SW-4-1	1,880	SW-4-1/3H	2,120	SW-4-1/2E	詢價			SZ-ZM2(側裝)	
7.5	15	1a1b/2a	SW-5-1	1,890	SW-5-1/3H	2,130	SW-5-1/2E	詢價	SW-5-1C	2,755	SC03~SC-5-1 用	
10	20	2a2b	SW-N1	2,630	SW-N1/3H	2,910	SW-N1/2E	詢價	SW-N1C	3,600	SZ-ZM3(正裝)	詢價
15	25	2a2b	SW-N2	3,240	SW-N2/3H	3,575	SW-N2/2E	詢價	SW-N2C	詢價	SZ-ZM4(側裝)	
20	30	2a2b	SW-N2S	4,010	SW-N2S/3H	4,435	SW-N2S/2E	詢價	SW-N2SC	詢價	SC-N1~SC-N3 用	
25	40	2a2b	SW-N3	4,605	SW-N3/3H	5,040	SW-N3/2E	詢價	SW-N3C	詢價	線圈驅動器(DC24V)	
30	50	2a2b	SW-N4	6,600	SW-N4/3H	7,090	SW-N4/2E	詢價	SW-N4C	詢價	SZ-CD1(RY 輸出)	詢價
40	75	2a2b	SW-N5A	7,710	SW-N5A/3H	8,210	SW-N5A/2E	詢價	SW-N5AC	詢價	SZ-03/CD2-24 詢價	
50	80	2a2b	SW-N6	10,340	SW-N6/3H	11,190	SW-N6/2E	詢價	SW-N6C	詢價	SZ-CD3(RY 輸出)	詢價
60	100	2a2b	SW-N7	14,720	SW-N7/3H	15,840	SW-N7/2E	詢價	SW-N7C	詢價	SZ-CD1SSR 輸出	詢價
75	125	2a2b	SW-N8	17,920	SW-N8/3H	19,080	SW-N8/2E	詢價	SW-N8C	詢價	機械連鎖裝置 SC03~N3 用	
90	150	2a2b	SW-N10	詢價	SW-N10/3H	詢價	SW-N10/2E	詢價	SW-N10C	詢價	SZ-RM	415
120	180	2a2b	SW-N11	詢價	SW-N11/3H	詢價	SW-N11/2E	詢價	SW-N11C	詢價	電磁開關用押扣	
160	300	2a2b	SW-N12	詢價	SW-N12/3H	詢價	SW-N12/2E	詢價	SW-N12C	詢價	NH8-2PE(2 點)	560
240	420	2a2b	SW-N14	詢價	SW-N14/3H	詢價			SW-N14C	詢價	AHL33PH-1(3 點)	1,695

日本 富士牌 補助繼電器 . 補助接點 . 特殊接觸器

富士 104/07 版

補助繼電器 . 補助接點			AC1	4P 電熱用電磁接觸器		AC1	線圈	二極直流電磁接觸器(期貨)			
8A 3a3b	SRC50-2F/X	750	20	-	SC-0H	865	60	交流	-	SB-2N	詢價
8A 4a2b/3a3b/5a1b/6a	SRC50-2U/X	845	20	1a/1b	SC-05H	詢價	60	交流	1b	SB-2NB	詢價
10A 2a2b/3a1b/4a	SH-4 (4 點)	735	32	-	SC-4-1H	詢價	60	交/直流	-	SB-2N/SE	詢價
10A 4a4b/5a3b/6a2b/8a	SH-4 (8 點)	1,130	32	1a/1b	SC-5-1H	詢價	60	交/直流	1b	SB-2NB/SE	詢價
10A 3a2b/4a1b/5a/5b	SH-5 (5 點)	1,240	AC1	交/直流線圈電磁接觸器			120	交/直流	-	SB-5N	詢價
10A 5a4b	SH-5 (9 點)	1,640	20	1a	SC-0/G	1,270	120	交/直流	1b	SB-5NB	詢價
10A 2a2b 直流線圈	SH-4/G	1,170	25	1a	SC-4-1/G	詢價	160	交/直流	-	SB-6N	詢價
10A 5a 直流線圈	SH-5/G	詢價	32	1a1b	SC-5-1/G	詢價	160	交/直流	1b	SB-6NB	詢價
頂裝 4a/3a1b/2a2b	SZ-A□□ □□表 a,b	395	50	2a2b	SC-N1/SE	4,440	270	交/直流	-	SB-10N	詢價
			60	2a2b	SC-N2/SE	詢價	270	交/直流	1b	SB-10NB	詢價
頂裝 2a/1a1b/2b	SZ-A□□ □□表 a,b	245	80	2a2b	SC-N2S/SE	詢價	360	交/直流	-	SB-11N	詢價
			100	2a2b	SC-N3/SE	詢價	360	交/直流	1b	SB-11NB	詢價
頂裝重疊 2a2b	SZ-A222	465	135	2a2b	SC-N4/SE	詢價	線圈突波吸收器(CR)				
頂裝重疊 1a1b	SZ-A111	295	線圈突波吸收器(Varistor)				SC03~SC5-1	24-48V	SZ-Z4	詢價	
			24-48/100-250V	SZ-Z1	詢價	100-250V		SZ-Z5	詢價		
側裝 1a1b SC03~SC-N3 適用	SZ-AS1	360	380-440V		SZ-Z2	詢價	24-48V AC/DC	24-48V 附 LED	SZ-Z8	詢價	
			SC-03~SC-5-1 用	SZ-Z3	詢價	100-250 AC/DC	100-250V 附 LED	SZ-Z9	詢價		
側裝 1a1b SC-N4~SC-N12 適用	SZ-AS2	370	附 LED,03-5-1 用		SZ-Z7	詢價	SC-N1~N3 用	24-48V AC	SZ-Z34	詢價	
			24-48/100-250V	SZ-Z8	詢價	100-250V AC		SZ-Z35	詢價		
側裝 1a1b SC-N14~SC-N16 適用	SZ-AS3H	545	SC-N1~N3 用		SZ-Z3□	詢價	SC-N4 用	24-48V AC	SZ-Z44	詢價	
			SC-N4 用	SZ-Z4□	詢價	100-250V AC		SZ-Z45	詢價		