

台製 大菱牌 電磁接觸器 . 電磁開關

大菱 2011.01.18 版

AC1 (A)	AC3(A)		補助 接點 構成	電磁接觸器 S-C□□		額定容量 HP		非可逆式電磁開關			正逆轉 MS		額定容量 HP		2 台裝 Y-△		3 台裝 Y-△	
	220 V	380 V		機種	定價	220 V	380 V	開放式	封閉式	附按鈕	開放式	封閉式	220 V	440 V	開放式	封閉式	開放式	封閉式
								MSO- C□□	MS-C □□	MS-C □□PB	MSOX2 -C□□	MSX2 -C□□			EYO -C□□	EY -C□□	EYDO -C□□	EYD -C□□
20	12	9	1a/1b	C11	270	3	5.5	450	570	610	-	-	-	-	-	-	-	-
20	12	9	1a1b	C12	300	3	5.5	480	630	660	詢價	詢價	-	-	-	-	-	-
25	18	12	1a1b	C16	410	5	7.5	660	870	910	詢價	詢價	10	15	詢價	詢價	詢價	詢價
32	22	20	2a2b	C21	560	7.5	15	800	950	1,000	詢價	詢價	15	20	詢價	詢價	詢價	詢價
40	26	23	2a2b	C25	580	8.5	16	820	970	1,020	詢價	詢價	15	25	詢價	詢價	詢價	詢價
50	30	27	2a2b	C30	780	10	20	1,140	1,580	1,640	詢價	詢價	20	30	詢價	詢價	詢價	詢價
50	35	32	2a2b	C35	820	12	20	1,180	1,620	1,680	詢價	詢價	25	40	詢價	詢價	詢價	詢價
65	44	40	2a2b	C40	920	15	25	1,280	1,720	1,780	詢價	詢價	25	50	詢價	詢價	詢價	詢價
70	50	46	2a2b	C50	1,300	15	30	1,800	2,550	2,650	詢價	詢價	30	50	詢價	詢價	詢價	詢價
80	60	56	2a2b	C60	1,440	20	30	1,820	2,570	2,670	-	-	40	60	詢價	詢價	詢價	詢價
100	65	62	2a2b	C65	1,900	20	40	2,400	3,220	3,320	-	-	40	60	詢價	詢價	詢價	詢價
120	80	75	2a2b	C80	2,200	25	50	2,700	3,520	3,620	-	-	50	75	詢價	詢價	詢價	詢價
150	100	80	2a2b	C100	2,600	35	70	3,100	3,920	4,020	-	-	60	100	詢價	詢價	詢價	詢價
180	125	100	2a2b	C125	3,400	40	75	4,200	5,200	5,400	-	-	75	125	詢價	詢價	詢價	詢價
200	150	140	2a2b	C150	3,900	60	100	4,700	5,700	5,900	-	-	100	150	詢價	詢價	詢價	詢價
235	200	190	2a2b	C200	5,600													
250	220	190	2a2b	C220	6,200													
E 型電磁接觸器 S-E□□				E□□	MSO-	MS-	MS-PB	熱動電驛(A 為中間值)						E 型輔助接點				
20	13	12	1a	E-11	290	4	7.5	490	610	660	TH-12 TH-20 TH-20T TH-60 TH-120 TRE-16 TRE-35	0.6/0.9/1.2/1.7/2.1 2.8/3.5/5/6/5/7.5/9/11.		180	ER-7 1a/1b	\$40		
25	18	16	1a	E-16	330	5	10	520	630	680		0.6/0.9/1.2/1.7/2.1/2.8/3.5 5/6.5/7.5/9/11/15/18/22		240				
40	28	25	1a	E-25	660	7.5	15	960	1,220	1,300		22/30/35		300				
55	38	35	1a	E-35	920	10	20	1,220	1,450	1,550		30/35/40/56/67		440	ER-8 4a/4b 3a1b 2a2b 1a3b	\$84		
70	55	50	2a2b	E-50	1,250	20	30	1,750	2,500	2,600		67/80/107/130		720				
80	67	60	2a2b	E-60	1,400	25	40	1,900	2,650	2,750		0.6/0.9/1.2/1.7/2.1/2.8 /3.5/5/6.5/7.5/9/11/15		200				
											15/22/30/35		300					

訂購請洽普萊格 Tel:(02)2226-8250 分機#

Fax:(02)2226-8245

普萊格企業(有)公司 編製

台製 伍菱牌 無熔線斷路器

伍菱 2010/01 月版

	對稱/非對稱	220V	380V	440V	600V	機 種	極數	AF	電 流 容 量 AT ( 跳 脫 電 流 )	定 價
一 般 配 電 用 S 系 列	完全電磁式	2.5	1.5	-	-	NF30-WE	2	30	3,5,10,15,20,30	500
							3			700
	熱動電磁式	16/15	10	7.5	5	NF50-WE	2	50	15,20,30,40,50	880
							3			980
	熱動電磁式	30/25	20/18	16/15	10	NF100-WE	1	100	15,20,30,40,50	950
							2		60,75,100	1,050
									15,20,30,40,50	1,100
									60,75,100	1,250
									15,20,30,40,50	1,200
	3	60,75,100	1,420							
	熱動電磁式	40/35	30/25	20/18	16/15	NF125-WE	2	125	15,20,30,40,50	1,200
							3		60,75,100,125	1,400
									15,20,30,40,50	1,300
	熱動電磁式	60/50	35/30	30/25	22/20	NF125-WS	2	125	15,20,30,40,50,60,75,100	1,600
							3			1,850
							4			3,800
							2			1,750
							3			2,050
							4			4,000
	熱動電磁式	40/35	30/25	20/18	16/15	NF250-WE	2	250	125,150,175,200,225	2,500
3							2,600			
2							2,700			
3							3,500			
熱動電磁式	60/50	35/30	30/25	22/20	NF250-WS	2	250	125,150,175,200,225	3,400	
						3			3,500	
						4			5,400	
						2			3,800	
						3			4,000	
熱動電磁式	40/35	30/25	20/18	16/15	NF400-WE	2	400	250,300,350,400	6,000	
						3			6,400	
熱動電磁式	60/50	35/30	30/25	22/20	NF400-WS	2	400	250,300,350,400	6,400	
						3			6,700	
熱動可調 電磁式	60/50	35/30	30/25	22/20	NF630-WS	3	630	500,600	15,000	
						4			22,000	
熱動可調 電磁式	60/50	35/30	30/25	22/20	NF800-HS	3	800	700,800	20,000	
						4			26,000	
高 啓 斷 容 量 H 系 列	熱動電磁式	100/85	60/50	60/50	35/30	NF100-H	2	100	15,20,30,40,50,60,75,100	2,200
							3			2,400
							4			4,300
	熱動電磁式	100/85	60/50	60/50	35/30	NF225-H	2	225	125,150,175,200,225	4,600
							3			5,000
							4			8,000
	熱動電磁式	100/85	60/50	60/50	35/30	NF400-H	2	400	250,300,350,400	8,600
							3			9,000
							4			14,000
	熱動可調 電磁式	100/85	60/50	60/50	35/30	NF800-H	3	800	500,600	17,200
							4			23,600
							3			21,000
							4			28,800
	熱動可調 電磁式	100/85	60/50	60/50	35/30	NF1200-H	3	1200	1000	42,000
							4			66,000
							3			48,000
	熱動可調 電磁式	125/100	75/65	60/50	40/35	NF1600-H	3	1600	1400,1600	76,000
							4			100,000

型式	啟斷容量 KA 非對稱值 / 對稱值				機種	極數	AF	電流容量		定價
	110/220V	220V	380V	440V				AT (跳脫電流)		
卡式·插入式分電箱用品	5	-	-	-	BH	1	50	15,20,30,40,50		108
	-	5	-	-		2	100	15,20,30,40,50		216
	-	5	-	-		3		60,75,100		400
	-	5	-	-	BHS	1	50	15,20,30,40,50		380
	10	10	-	-		2	100	60,75,100		780
	-	10	5	5		3		15,20,30,40,50		150
	-	10	5	5	BHH	1	50	15,20,30,40,50		308
	15	10	-	-		2	100	60,75,100		562
	-	15	10	10		3		15,20,30,40,50		552
	-	15	10	10	BHK	1	50	60,75,100		982
	25/22	10	-	-		2	100	15,20,30,40,50		250
	-	25/22	10	10		3		15,20,30,40,50		495
	-	25/22	10	10	BHK	1	50	60,75,100		1,000
25/22	10	-	-	2		100	15,20,30,40,50		1,000	
-	25/22	10	10	3			60,75,100		1,152	
-	25/22	10	10	BHK	1	50	15,20,30,40,50		260	
-	25/22	10	10		2	100	15,20,30,40,50		520	
-	25/22	10	10		3		60,75,100		1,200	
-	25/22	10	10	BHK	1	50	15,20,30,40,50		1,180	
-	25/22	10	10		2	100	15,20,30,40,50		1,420	
-	25/22	10	10		3		60,75,100		1,420	

	啟斷容量 KA 非對稱值 / 對稱值			感度電流 (mA) (其他: mA 可訂製)	機種	極數	AF	電流容量		定價
	110/220V	220V	380/440V					AT (跳脫電流)		
純漏電器	2.5	2.5	-	30,100,300mA	EL250-R	2	50	15,20,30		500
	2.5	2.5	-					40,50		580
	2.5	2.5	-	30,100,300mA	EL350-R	3	50	15,20,30		700
	-	-	1.5					40,50		780
-	-	1.5	30mA	NV-LB	2	30	15,20,30,40,50		950	
BH型漏電過載保護	5	5	-	30mA	NV50-SB (1P1P型)	1	50	15,20,30,40,50		720
	5	5	-					15,20,30,40,50		1,000
	5	5	-					15,20,30,40,50		1,360
	10	10	-	30mA	NV50-MB (1P1P型)	2	50	15,20,30,40,50		860
	10	10	-					15,20,30,40,50		1,200
	10	10	-					15,20,30,40,50		2,000
	-	-	5					15,20,30,40,50		2,200
工業型漏電兼過載保護	30/25	30/25	16/15	30mA	NV100-CB	3	100	15,20,30,40,50		3,600
	-	-	-	30/100/300mA 可調				60,75,100		4,000
	60/50	60/50	30/25	30mA	NV100-HB	3	100	15,20,30,40,50		4,600
	-	-	-	30/100/300mA 可調				60,75,100		5,200
	60/50	60/50	35/30	30/100/300mA 可調	NV225-HB	3	225	15,20,30,40,50		7,600
	-	-	-	100/300/500 可調				60,75,100		8,600
	60/50	60/50	35/30	30/100/300mA 可調	NV400-HB	3	400	125,150,175,200,225		12,000
	-	-	-	100/300/500 可調				125,150,175,200,225		14,600
60/50	60/50	35/30	100/300/500 可調	NV800-HB	3	800	250,300,350,400		24,000	
-	-	-	100/300/500 可調				250,300,350,400		28,000	
60/50	60/50	35/30	100/300/500 可調	NV800-HB	4	800	500,600		45,000	
-	-	-	100/300/500 可調				700,800		62,000	
60/50	60/50	35/30	100/300/500 可調	NV800-HB	4	800	500,600		88,000	
-	-	-	100/300/500 可調				700,800		98,000	

台製 伍菱牌 電磁接觸器 . 電磁開關

伍菱 2010/01 月版

AC1 (A)	AC3(A)		補助接點 構成	電磁接觸器 S-C 型		額定容量 HP		開放式電磁開關		封閉式電磁開關		精美型 MS 附鈕按	
	220V	380V		機種	定價	220V	440V	機種	定價	機種	定價	機種	定價
20	12	9	1a 或 1b	S-C11	350	4	5	MSO-C11	610	MS-C11	720	MS-C11PB	780
20	12	9	1a1b/2a	S-C12	420	4	5	MSO-C12	660	MS-C12	770	MS-C12PB	830
30	16	12	1a1b	S-C16	620	5.5	10	MSO-C16	935	MS-C16	1,040	MS-C16PB	1,100
36	24	21	2a2b	S-C21	740	7.5	15	MSO-C21	1,045	MS-C21	1,210	MS-C21PB	1,270
45	35	27	2a2b	S-C35	1,100	12.5	20	MSO-C35	1,430	MS-C35	1,820	MS-C35PB	1,880
65	50	44	2a2b	S-C50	1,480	17.5	30	MSO-C50	2,150	MS-C50	2,550	MS-C50PB	2,610
80	58	56	2a2b	S-C60	1,650	20	40	MSO-C60	2,200	MS-C60	2,580	MS-C60PB	2,640
100	67	63	2a2b	S-C65	2,080	25	50	MSO-C65	2,640	MS-C65	3,300	MS-C65PB	3,420
125	85	80	2a2b	S-C80	2,580	30	60	MSO-C80	3,140	MS-C80	3,730	MS-C80PB	3,850
145	110	90	2a2b	S-C100	3,520	40	80	MSO-C100	4,680	MS-C100	5,500	MS-C100PB	5,620
165	135	130	2a2b	S-C125	4,400	50	100	MSO-C125	5,500	MS-C125	6,720	MS-C125PB	6,840
200	165	160	2a2b	S-C150	5,860	60	125						
250	220	190	2a2b	S-C220	8,800	85	150						

Y-△ 起動開關 ( 三台裝 )						TH 型 過載保護電驛			
啟斷容量 HP		開放型 ( O )		封閉式 ( D )		機種	適用接觸器	標準電流值負載 ( A )	定價
220V	380V	機種	定價	機種	定價				
10	15	EYD-O-21	6,200	EYD-D-21	7,600	TH-12	S-C11~16	0.8, 1.2, 2.1, 3.5, 5, 6.5, 9, 11, 15	250
20	30	EYD-O-35	7,600	EYD-D-35	9,000	TH-20	S-C16~21	2.1, 3.5, 5, 6.5, 9, 11, 15, 22, 30	300
30	50	EYD-O-50	9,800	EYD-D-50	11,000	TH-20T	S-C21~35	2.1, 3.5, 5, 6.5, 9, 11, 15, 22, 30	340
40	60	EYD-O-65	11,200	EYD-D-65	13,500	TH-60	S-C50~80	41, 54, 67, 80	600
50	75	EYD-O-80	13,200	EYD-D-80	15,200	TH-60T	S-C50~80	41, 54, 67, 80	650
60	100	EYD-O-100	17,200	EYD-D-100	20,000	TH-120	S-C100~125	80, 105, 130	1,200
75	125	EYD-O-125	19,300	EYD-D-125	22,500				
100	150	EYD-O-150	27,500	EYD-D-150	30,000				
125	200	EYD-O-220	42,000	EYD-D-220	46,000				

訂購請洽普萊格 Tel:(02)2226-8250 分機#

Fax:(02)2226-8245

普萊格企業(有)公司 編製