

台製 東元牌 無熔線斷路器

東元 106/01 版

型式	啟斷容量 KA 非對稱值 / 對稱值			機 種	極 數	電 流 容 量		定 價	
	100/110V	220/240V	380V			AF	AT ( 跳脫電流 )	插入式	卡 式
Q 系列 (分電盤用品)	5	-	-	QCE 卡 式	1	100	15,20,30,40,50		100
	-	5	-				60,75,100		195
	-	-	-				15,20,30,40,50(QCEN)		125
	-	5	-		15,20,30,40,50	2		220	
	-	-	-		60,75,100			480	
	-	-	-		15,20,30,40,50			490	
	10	-	-	QCS 卡 式 QLS 插入式	1	100	15,20,30,40,50		150
	-	10	-				15,20,30,40,50(QCSN)		205
	-	-	-				15,20,30,40,50		320
	-	10	-		60,75,100	2		670	
	-	-	-		15,20,30,40,50			690	
	-	-	-		60,75,100			1,320	
	15	10	-	QCH 卡 式	1	100	15,20,30,40,50		225
	-	15	-				15,20,30,40,50(QCHN)		350
	-	-	-				15,20,30,40,50		465
-	15	-	60,75,100		2		1,035		
-	-	-	15,20,30,40,50				1,105		
-	-	-	60,75,100				1,695		
22	10	-	QCHH(卡式) QLHH(插入)	1	100	15,20,30,40,50		345	
-	22	10				15,20,30,40,50		685	
-	-	-				60,75,100		1,085	
-	-	-		15,20,30,40,50	2		1,135		
-	-	-		60,75,100			1,715		
-	-	-		60,75,100			1,715		
漏電斷路器	5	5	30mA	TLB-50EB(卡式)	1	50	15,20,30/(40,50\$540 訂製品)		520
	-	5					15,20,30/(40,50\$755 訂製品)		735
	5	5	15,100,300,500mA 訂製品	1	50	15,20,30/(40,50\$570)		560	
	-	5				15,20,30/(40,50\$800)		775	
	10	5	30mA	TLB-50 (卡式)	1	50	15,20,30,40,50(40,50 訂製)		620
	-	10					15,20,30,40,50(40,50 訂製)		1,050
	10	5	15,100,300,500mA 訂製品	1	50	15,20,30,40,50		600	
	-	10				15,20,30,40,50		990	
	15	10	30mA	TLB-50S(卡式)	1	50	15,20,30,40,50(40,50 訂製)		985
	-	15					15,20,30,40,50(40,50 訂製)		1,370
15	10	15,100,300,500mA 訂製品	1	50	50	15,20,30,40,50		1,040	
-	15					15,20,30,40,50		1,430	
漏電斷路器	30mA	1.5	-	TLZ-30C 迷你型	2	30	30A 以下適用(5,10,15,20,30)		290
	30mA	2.5	-	TLZ-50EB 迷你型	2	50	50A 以下適用(40,50)		465
	30mA	2.5	-	TLZ-50EC	2	50	5,10,15,20,30 / (40,50 \$480)		400
	100/200/300 切換	2.5	-				5,10,15,20,30 / (40,50 \$510)		430
	30mA	2.5	1.5	TLZ-50EC	3	50	5,10,15,20,30 / (40,50 \$800)		680
	100/200/300 切換	2.5	1.5				5,10,15,20,30 / (40,50 \$820)		700
	30mA	10	-	TLB-63L1	2	63	15,20,30,40,50 / (60 \$1,490)		1,360
	30mA	5	-				15,20,30,40,50 / (60 \$2,090)		1,860
	30mA	25	15	TLB-63L3	3	63	15,20,30 / (40,50\$2,790) (60\$3,590)		2,690
	100/200/500 切換						3	63	15,20,30 / (40,50\$2,890) (60\$3,740)
	30mA	10	7.5	TLB-100L1 (掀蓋式)	3	100	15,20,30,40,50 / (60 \$5,990)		3,990
	100/200/500 切換						4	63	15,20,30,40,50 / (60 \$6,140)
	30mA	10	7.5	TLB-100L1 (掀蓋式)	3	100	15,20,30 / (40,50 \$2,530)		2,280
	100/200/500 切換						3	100	60,75,100
	30mA	15	10	TLB-100L2 (掀蓋式)	3	100	15,20,30 (40,50 \$2,580)		2,330
	100/200/500 切換						4	100	60,75,100
	30mA	15	10	TLB-100L2 (掀蓋式)	4	100	15,20,30 / (40,50 \$3,870)		3,420
	100/200/500 切換						3	100	60,75,100
30mA	25	-	TLB-100AB(220 專用)	3	100	15,20,30 / (40,50 \$3,980)		3,530	
100/200/500 切換						4	100	60,75,100	
30mA	25	15	TLB-100L3(110-380)	3	100	15,20,30,40,50 / (60,75,100 \$3,350)		3,050	
100/200/500 切換						3	100	15,20,30,40,50 / (60,75,100 \$3,450)	
30mA	25	15	TLB-100AS(220-380)	3	100	15,20,30,40,50 / (60,75,100 \$5,600)		5,200	
100/200/500 切換						3	100	15,20,30,40,50 / (60,75,100 \$6,000)	
30mA	25	-	TLB-100AB(220 專用)	3	100	15,20,30,40,50 / (60,75,100 \$4,060)		3,650	
30mA	25	15	TLB-100L3(110-380)	3	100	15,20,30,40,50 / (60,75,100 \$4,270)		3,840	
100/200/500 切換	25	15	TLB-100AS(220-380)	3	100	15,20,30,40,50 / (60,75,100 \$4,600)		4,170	

台製 東元牌 無熔線斷路器

東元 106/01 版

型式	啟斷容量(KA)asym/sym(非對稱/對稱值)				機種	極數	AF	電流容量		定價
	110/220V	380V	440/480V	550/600V				AT (跳脫電流)		
ATS	AC110V	家用型 ATS 自動切換			ATSH-2020M	2	50	20 (可適用於 20A 以下用電負載)		詢價
	AC220V	120*120*63mm(L*W*H)			ATSH-2030M			30		詢價
工業型系列無熔線斷路器(配電·配線用)	5/5	2.5/2.5	2.5/2.5	1.5/1.5	TO-50E	2	50	15,20,30		600
								40,50		795
	5/5	2.5/2.5	2.5/2.5	1.5/1.5	TO-50EC	3		15,20,30		785
								40,50		840
	18/15	10/10	7.5/7.5	5/5	TO-100EC	3	100	15,20,30,40,50		1,095
								60,75,100		1,490
	30/25	18/15	12/10	7.5/7.5	TO-100EB	2	100	15,20,30,40,50		1,040
						3		15,20,30,40,50		1,180
								60,75,100		1,190
								60,75,100		1,510
	35/30	25/22	16/15	10/10	TO-125EC	2	125	15,20,30,40,50		1,220
						3		60,75,100,125		1,660
								15,20,30,40,50		1,690
								60,75,100,125		1,730
	60/50	35/30	30/25	18/15	TO-125S	3	125	15(12只),60(21只),100(1只)(售完為止)		1,910
								15,20,30,40,50,60,75,100		1,900
	60/50	35/30	30/25	18/15	TO-125SB	2	125	125		2,040
						3		15,20,30,40,50,60,75,100		2,040
								125		2,160
	60/50	35/30	30/25	18/15	TO-125SJ	3	125	20,32,50,63,100,125 可調 0.8In,1In		3,410
								20,32,50,63,100,125 可調 0.63/0.8/1In		3,835
	100/85	60/50	50/42	-	TG-100H	3	100	15,20,30,40,50,60,75,100		3,510
	120/100	75/65	60/50	40/35	TG-125HB	3	125	15,20,30,40,50,60,75,100		3,770
						4		125		4,150
								15,20,30,40,50,60,75,100		4,265
								125		5,150
	120/100	75/65	60/50	40/35	TG-125HJ	3	125	20,32,50,63,100,125		4,250
						4		可調整 0.8In,1In		5,630
						3		20,32,50,63,100,125		4,800
						4		可調整 0.63In,0.8In,1In		5,970
30/25	18/15	18/15	10/10	TO-225E	2	225	125,150,175,200,225		2,760	
					3		125,150,175,200,225		3,200	
35/30	25/22	18/15	10/10	TO-250EB	2	250	125,150,175,200,225		2,930	
					3		250		3,250	
							125,150,175,200,225		3,430	
							250		3,560	
60/50	35/30	30/25	22/20	TO-225S	2	225	150(1只),200(1只)(售完為止)		3,955	
							125,150,175,200,225		4,175	
60/50	35/30	30/25	22/20	TO-250SB	2	250	250		4,500	
					3		125,150,175,200,225		4,625	
							250		4,950	
100/85	60/50	50/42	-	TG-225H	3	225	125,150,175,200,225		4,890	
120/100	75/65	60/50	40/35	TG-250HB	3	250	125,150,160,175,200,225		5,220	
					4		250		5,345	
							125,150,160,175,200,225		6,000	
							250		6,125	
120/100	75/65	60/50	40/35	TG-250HJ	3	250	160,250		6,880	
					4		可調整 0.8In,1In		7,915	
					3		160,250		7,245	
					4		可調整 0.63In,0.8In,1In		8,365	
35/30	25/22	22/20	18/15	TO-400E	2	400	250,300,350,400		6,150	
					3		250,300,350,400		6,755	
75/65	50/42	35/30	22/20	TO-400S	2	400	250,300,350,400		7,555	
					3		250,300,350,400		7,880	
100/85	60/50	50/42	-	TG-400H	3	400	250,300,350,400		8,520	
120/100	75/65	60/50	40/35	TG-400HB	3	400	250,300,350,400		11,595	
					4		250,300,350,400		12,860	
120/100	75/65	60/50	40/35	TG-400HJ	3	400	250,400		13,660	
					4		可調整 0.8In,1In		15,710	
					3		250,400		15,125	
					4		可調整 0.63In,0.8In,1In		16,615	
40/35	30/25	30/25	20/18	TO-630EB	3	630	500,600,630		13,250	
75/65	50/42	40/35	22/20	TO-600S	3	600	500,600		13,645	

台製 東元牌 無熔線斷路器

東元 106/01 版

	110/220V	380V	440/480V	550/600V	機種	極數	AF	AT (跳脫電流)	定價
工業用無熔線斷路器	100/85	60/50	50/42	-	TG-600H	3	600	500,600	14,800
	120/100	75/65	60/50	40/35	TG-630HB	3	630	500,600,630	17,940
						4		500,600,630	19,460
	60/50	35/30	30/25	22/20	TO-800EB	3	800	700,800	20,520
	100/85	75/65	50/42	-	TO-800S	3	800	700,800	21,070
	150/130	120/100	100/85	75/65	TG-800H	3	800	700,800	26,670
	120/100	75/65	60/50	40/35	TG-800HB	3	800	700,800	22,680
						4		700,800	24,600
	100/85	60/50	60/50	40/35	TE-600	3	600	300~600(電子可調式)	24,000
	100/85	60/50	60/50	40/35	TE-800	3	800	400~800(電子可調式)	26,130
	120/100	100/85	75/65	60/50	TE-1000	3	1000	500~1000(電子可調式)	49,500
120/100	100/85	75/65	60/50	TE-1200	3	1200	600~1200(電子可調式)	54,750	
150/130	120/100	100/85	75/65	TE-1600	3	1600	800~1600(電子可調式)	70,830	
工業用漏電斷路器	35/30	25/22	18/15	30mA	TLB-125E	3	125	15,20,30,40,50	4,375
				100/200/300 切換				60,75,100 / (125A:\$5320)	4,835
	60/50	35/30	30/25	30mA	TLB-125S	3	125	15,20,30,40,50,60,75,100	5,085
				100/200/300 切換				125	5,595
				30mA				15,20,30,40,50,60,75,100	5,430
				100/200/300 切換		4		125	5,975
				30mA		15,20,30,40,50,60,75,100		8,810	
				100/200/300 切換		4		125	9,695
	35/30	25/22	18/15	30mA	TLB-250E	3	250	15,20,30,40,50,60,75,100	9,175
				100/200/300 切換				125	10,095
	60/50	35/30	30/25	30mA	TLB-250S	3	250	125,150,175,200,225,250	6,440
				100/200/300 切換		4		8,165	
				30mA		3		125,150,175,200,225,250	19,045
				100/200/300 切換		4		125,150,175,200,225,250	19,630
	60/50	35/30	30/25	30/100/500	TLB-400S	3	400	250,300,350,400	11,730
適用 NFB 型式				電壓跳脫 SHT	補助 AUX	警報開關 ALT	AUX+ALT	低電壓 UVT	電動操作
TLB-100									390
TO-50E/EC				1,030	240	240	460		7,005
TO-100EC/EB				1,030	240	240	460		7,005
TO125EC/SB/SJ,TG125HB/HJ				1,100	670	410	975		9,405
TG-100H				1,030	240	410	610		10,545
TMP-100S				1,030	240	405	610		
TO-225E				1,030					
TO-225S,TG-225H				1,030	410	460	820		
TO-250EB/SB,TG-250HB/HJ				1,150	710	390	1,080		9,790
TMP-400S				1,030	460	460	860		
TO-400E/S,TG-400H				1,450	460	875	1,255		
TG-400HB/HJ				3,140	1,230	760	1,880		13,480
TO/TG600,630,800EB/S/H/HB,TE600				2,215	1,550	1,750	3,110	4,185	15,000
TE-800				2,215	1,550	1,750	3,110	5,310	15,000
TE-1000/1200/1600				3,715	1,800	2,320	3,890	5,310	
補助把手 EHA				TO630/800EB/600/800S,TG600/800H/HB,TE600/800用					\$415
適用 NFB 型式				機種	定價	機種(IP-42)	定價	機種	定價
TO50EC,TO100EC,TO100EB-3P				FG-21E-U4	565	FG-21ED-U4	680	FH-A11(S)	740
TLB-63L3,TLB-100L1,TLB-100L2				FG-21G	720				
TO/TG100,125S/EB/H,TMP100S				FG-22BA-U4	670	FG-22BAD-U4	680	FH-A12(S)	880
TO-125EC,SB,SJ,TG125HB,HJ				FG-22CA-U4	600	FG-22CAD-U4	610	FL-A13(S)	765
TO-225E				FG-23CA-U4	875	FG-23CAD-U4	1,050	FH-A21(S)	1,055
TO225S,TG225H				FG-23BA-U4	820	FG-23BAD-U4	990	FH-A22(S)	1,055
TO250EB,SB,SJ,TG250HB,HJ				FG-23DA-U4	780	FG-23DAD-U4	935	FL-A23(S)	725
TO400E,S,TG400H,TMP400S				TFJ34XU2M	2,355			FH-A31(S)	2,355
TG400SB/SJ,TG400HB/HJ				TFJ34XU2N	2,355			FH-A32(S)	1,275
TO,TG,TE-600,630,800EB,S,H				TFJ36XUM	3,285	U:表示上電源供給型(標準型)			
TE-1000,1200,1600				TFJ38XUM	5,780	R:表示右電源供給型, L:表示左電源供給型			



台製 東元牌 低壓交流電磁接觸器

東元 106/01 版

AC1	主接點	補助	220V	380V	440V	接觸器	定價	MC+補助	1a1b	可逆式 MC	定價	小電流 MC	定價	
25	3A	1a或1b	12	12	11	CU-11	325			CUL-11	920	CN-5 AC3/7.5A	300	
25	3A	1a1b	12	12	11	CU-12	390			CUL-12	1,065			
25	3A	1a或1b	16	16	15	CU-16	420			CUL-16	1,100			
25	3A	1a1b	16	16	15	CU-17	490			CUL-17	1,370	CN-5K DC用 7.5A	570	
35	3A	1a1b	23	22	21	CU-18	570	CU-18N	615	CUL-18	1,495			
40	3A	1a1b	27	26	21	CU-22	630	CU-22N	700	CUL-22	1,625			
50	3A	1a1b	30	30	27	CU-27	810	CU-27N	880	CUL-27	1,740	CN-5PK DC用 7.5A	590	
60	3A	1a1b	35	32	32	CU-32	830	CU-32N	905	CUL-32	1,820			
60	3A	1a1b	32	32	32	CU-32R	800	CU-32RN	870	CUL-32R	1,730			
60	3A	1a1b	39	38	38	CU-38	980	CU-38N	1,040	CUL-38	1,960	CN-6 AC3/10.1A	310	
60	3A	1a1b	44	40	40	CU-40	1,050	CU-40N	1,125	CUL-40	2,405			
70	3A	2a2b	55	55	52	CU-50	1,370	CL 系列產品 (售完為止)			CUL-50			3,040
80	3A	2a2b	65	64	64	CU-65	1,665				CUL-65	3,635		
100	3A	2a2b	75	72	70	CU-80	2,210				CUL-80	5,640		
135	3A	2a2b	85	85	85	CU-90	2,500			CUL-90	6,130	CN-6K DC用 10.1A	610	
135	3A	2a2b	115	115	105	CN-100R	3,000	CL-10F	1,500	CNL-100R	7,195			
150	3A	2a2b	138	138	135	CN-125R	4,260	HOCL-10F	2,100	CNL-125R	10,235			
200	3A	2a2b	150	147	138	CN-150	5,310	HCL-10F	2,500	CNL-150	12,190	CN-6PK DC用 10.1A	630	
240	3A	2a2b	182	179	182	CN-180	6,980	電熱專用(4P)4A/AC1			CNL-180			15,410
260	3A	2a2b	225	225	220	CN-220	8,060				CNL-220			16,730
350	3A	2a2b	300	300	300	CN-300	15,295	CU-10/25A	330	CNL-300	34,295	Y-Δ專用限時電驛 (附 8PFA 座) RTY-3(30,60S)\$810 RTG-3(1~60S)\$800		
450	3A	2a2b	400	400	400	CN-400-R	23,540	CU-18/35A	600	CNL-400R	46,950			
550	3A	2a2b	500	500	430	CN-500	30,310	CU-22/40A	650	CNL-500	57,000			
660	3A	2a2b	630	630	600	CN-630	35,500			CNL-630	72,000			

開放型 正逆轉 電磁開關	補助接點	220V	380V	440V	正逆轉電磁開關	2 素子(K)	3 素子(E)	欠相(G)	機械連鎖	定價		
	1a1b	4	5.5	7.5	HUOL-12	1,465	1,505	1,515	CNI-6	105		
1a1b	5.5	7.5	10	HUOL-17	1,790	1,855	1,865	CN5/6(k)用				
1a1b	7.5	15	15	HUOL-18	2,045	2,105	2,120	CI-18	105			
1a1b	8	15	15	HUOL-22	2,175	2,235	2,255	CU11~38/CN11~22 用				
1a1b	10	20	20	HUOL-27	2,710	2,760	2,810	CNI-18(2b)	160			
1a1b	12	20	20	HUOL-32	2,815	2,865	2,915	CU11~22/CN11~22 用				
1a1b	12	20	20	HUOL-32R	2,430	2,480	2,530	CI-35	125			
1a1b	15	25	30	HUOL-38	2,970	3,020	3,070	CU40~80/CN25~80R				
1a1b	15	27	30	HUOL-40	3,275	3,330	3,345	CNI-100	260			
2a2b	20	35	40	HUOL-50	4,270	4,305	4,425	CN100~300 用				
2a2b	25	40	50	HUOL-65	5,355	5,395	5,530	線圈驅動裝置(批量價格)				
2a2b	30	50	54	HUOL-80	7,240	7,435	7,550					
2a2b	35	60	70	HUOL-90	7,940	8,040	8,170	CNE-1BS-R	550			
2a2b	40	80	80	HNOL-100/1(RHU80/5)	8,480	8,635	8,795	CNE-1BR	550			
2a2b	54	100	100	HNOL-125/1(RHU80/5)	11,530	11,680	11,850	CNE-1CS-R	550			
2a2b	60	110	110	HNOL-150	15,020	-	15,180	CNE-1CR	550			
2a2b	75	125	150	HNOL-180	18,040	-	18,870	CNE-1ES	550			
2a2b	85	160	180	HNOL-220	18,210	-	19,130	CNE-1E	550			
密閉型 正逆轉 電磁開關 附 P 3	1a1b	4	5.5	7.5	HUL-12	1,695	1,730	1,745	CNE-1W	550		
	1a1b	5.5	7.5	10	HUL-17	2,075	2,135	2,145	CNE-1HS	550		
	1a1b	7.5	15	15	HUL-18	2,215	2,275	2,285	CNE-1H	550		
	1a1b	8	15	15	HUL-22	2,330	2,395	2,405	1B:22~24V 1C:45~50V 1E:100~120V 1W:112~138V 1H:200~240V			
	1a1b	10	20	20	HUL-27	3,230	3,285	3,340				
	1a1b	12	20	20	HUL-32	3,445	3,495	3,550				
	1a1b	12	20	20	HUL-32R	3,165	3,220	3,255				
	1a1b	15	25	30	HUL-38	3,655	3,710	3,760				
	1a1b	15	27	30	HUL-40	4,100	4,165	4,175				
	2a2b	20	35	40	HUL-50	5,240	5,285	5,405	電容器專用 MC(KVAR)			
	2a2b	25	40	50	HUL-65	6,900	6,935	7,060	(KVAR)	240V	400V	定價
	2a2b	30	50	54	HUL-80	8,575	8,615	8,730	CU-11C	6.9	12.5	790
	2a2b	35	60	70	HUL-90	8,815	8,865	8,945	CU-17C	8.5	16.7	955
	2a2b	40	80	80	HNL-100/1(RHU80/5)	9,060	9,115	9,165	CU-18C	10	20	1,160
	2a2b	54	100	100	HNL-125/1(RHU80/5)	12,000	12,050	12,105	CU-32C	15	30	1,630
2a2b	60	110	110	HNL-150	16,110	-	18,020	CU-50C	25	40	2,300	
2a2b	75	125	150	HNL-180	18,700	-	20,670	CU-65C	27	45	2,600	
2a2b	85	160	180	HNL-220	21,090	-	23,160	CU-80C	36	61	3,140	

台製 東元牌 電磁開關 Y-△ 過載電驛

東元 106/01 版

型式	補助接點構成	額定容量 HP			HNO/HUO 型 - O.L 接點構成 1a1b			CNA/UA/ACP 輔助接點組					
		220V	380V	440V	機種	2 素子 K	3 素子 E	欠相 G	機種	接點構成	定價		
開放型非可逆式交流電磁開關	1a 或 1b	4	5.5	7.5	HUO-11	580	625	640	CNA-111SR 無蓋	1a1b(側裝)	105		
	1a1b	4	5.5	7.5	HUO-12	630	675	695	CNA-111SR(S) 有蓋	1a1b(側裝)	110		
	1a 或 1b	5.5	7.5	10	HUO-16	675	725	745	CNA-111B(C)	1a1b(側裝)	105		
	1a1b	5.5	7.5	10	HUO-17	785	850	860	CNA-110	1a(側裝)	105		
	1a1b	7.5	15	15	HUO-18	880	940	955	CUA-2□□無蓋	2a,2b,1a1b 頂裝	105		
	2a2b	7.5	15	15	HUO-18N	915	975	990	CUA-2□□S 有蓋	2a,2b,1a1b 頂裝	110		
	1a1b	8	15	15	HUO-22	950	1,010	1,025	CUA-4□□無蓋	4a,3a1b,2a2b,1a3b,4b 頂裝	175		
	2a2b	8	15	15	HUO-22N	1,025	1,085	1,100	CUA-4□□S 有蓋	2a,1a1b,2b 頂裝	180		
	1a1b	10	20	20	HUO-27	1,300	1,390	1,495	CNA-2□□M(CN-5/6 用)	4a,3a1b,2a2b,1a3b,4b 頂裝	105		
	2a2b	10	20	20	HUO-27N	1,440	1,495	1,580	CNA-4□□M(CN-5/6 用)		175		
	1a1b	12	20	20	HUO-32	1,345	1,440	1,550					
	2a2b	12	20	20	HUO-32N	1,495	1,550	1,595					
	1a1b	12	20	20	HUO-32R	1,110	1,190	1,275					
	2a2b	12	20	20	HUO-32RN	1,260	1,295	1,325					
	2a2b	15	25	30	HUO-38	1,390	1,500	1,700					
	1a1b	15	25	30	HUO-38N	1,550	1,600	1,760					
	2a2b	15	27	30	HUO-40	1,580	1,635	1,815					
	2a2b	15	27	30	HUO-40N	1,650	1,710	1,870	突波吸收器 CN 用 (RC 型)		550		
	2a2b	20	35	40	HUO-50	1,920	1,960	2,090	CSS-2(批量價格)	變阻器 VAR ISTOP	550		
	2a2b	25	40	50	HUO-65	2,350	2,390	2,520	RHN 用單體安裝座				
	2a2b	30	50	54	HUO-80	2,930	2,970	3,080	RP-10	RHN-10 用	80		
	2a2b	35	60	70	HUO-90	3,425	3,540	3,670					
	2a2b	40	80	80	HNO100/RHU80	3,970	4,160	4,280	繼電器				
	2a2b	54	100	100	HNO125/RHU80	5,630	5,730	5,830	RAU-4	4a,3a1b,2a2b,1a3b,4b	335		
	2a2b	60	110	110	HNO-150	7,450	-	8,120	RAM-4	4a,3a1b,2a2b	335		
	2a2b	75	125	150	HNO-180	9,650	-	10,480	RAM-4K (DC 線圈)期貨		510		
	2a2b	85	160	180	HNO-220	10,280	-	11,000					
	2a2b	125	220	220	HNO-300	19,300	-	20,225	精美型非可逆式 MS 箱蓋附 PP-2				
密閉型非可逆式附 P P 2	1a 或 1b	4	5.5	7.5	HUE-11	660	710	735	補助接點 機種	2 素子(K)	3 素子(E)	欠相(G)	
	1a 或 1b	5.5	7.5	10	HUE-16	745	795	820	1a 或 1b	HUEB-11	730	760	780
	1a1b	7.5	15	15	HUP-18	900	965	990	1a 或 1b	HUPB-11	835	870	885
	1a1b	8	15	15	HUP-22	965	1,030	1,050	1a 或 1b	HUEB-16	860	900	910
	1a1b	10	20	20	HU-27	1,860	1,920	1,980	1a1b	HUPB-16	970	1,000	1,010
	1a1b	12	20	20	HU-32	1,920	1,980	2,040	1a1b	HUPB-18	1,050	1,100	1,120
	1a1b	12	20	20	HU-32R	1,750	1,800	1,840	-	HUPB-22	1,075	1,140	1,135
	1a1b	15	25	30	HU-38	2,040	2,100	2,150	-	HUB-27	2,130	2,190	2,250
	1a1b	15	27	30	HU-40	2,160	2,220	2,280	-	HUB-32	2,220	2,280	2,340
	2a2b	20	35	40	HU-50	2,640	2,700	2,730	-	HUB-38	2,400	2,460	2,520
	2a2b	25	40	50	HU-65	3,100	3,160	3,200	-	HUB-40	2,580	2,660	2,700
	2a2b	30	50	54	HU-80	3,600	3,660	3,690	1a 或 1b	HUFB-11	915	995	1,015
	2a2b	35	60	70	HU-90	4,725	4,775	4,815	1a 或 1b	HUFB-16	1,130	1,200	1,440
	2a2b	40	80	80	HN-100/RHU80	7,080	7,140	7,200	1a1b	HUFB-18	1,370	1,445	1,470
	2a2b	54	100	100	HN-125/RHU80	8,940	9,000	9,060	1a1b	HUFB-22	1,480	1,560	1,580
	2a2b	60	110	110	HN-150	12,240	-	14,400					
	2a2b	75	125	150	HN-180	13,560	-	15,600	PP 按鈕開關				
	2a2b	85	160	180	HN-220	14,700	-	17,400	PP-2	ON-OFF		80	
								PP-3	FOR-REV-OFF		140		

Y-△ 起動開關 機械連鎖式 三台裝									RHN 過載電驛最大值(A)		CU/CN		2 素 K		3 素 E		欠相 G		
馬達容量 HP			開放型 YNO		密閉型 YN		精美型 YNB		RHU-5	12.5 以下	CN5,6(K)	-	-	-	-	-	-	-	300
AC3			不附箱		(附箱&PP2)		加電流錶信號燈		RHU-10/1	12.5 以下	CU11-38	260	300	310					
220V	380V	440V	機種	定價	機種	定價	機種	定價	RHU-10/1/2	16	CU11-38	280	360	380					
15	25	30	YUO18	5,100	YU18	7,150	YUB18	7,475	RHU-10/1/2	20,25,30	CU11-38	370	420	430					
20	30	40	YUO27	5,750	YU27	7,700	YUB27	7,880	RHU-10/1/2	36,38	CU32-38	420	460	470					
25	35	40	YUO32	6,200	YU32	8,280	YUB32	8,500	RHU-80/1	25,36	CU18-32	500	550	620					
25	40	50	YUO38	6,600	YU38	8,680	YUB38	8,900	RHU-80/2/3/4	25,36	CU27-90	520	570	620					
30	50	60	YUO40	7,520	YU40	9,005	YUB40	11,000	RHU-80/2/3/4	47	CU40-90	620	670	700					
40	75	75	YUO50	9,320	YU50	12,280	YUB50	13,220	RHU-80/3	60	CU50-90	680	730	790					
50	85	85	YUO65	11,090	YU65	13,035	YUB65	16,050	RHU-80/3	75	CU65-90	700	760	850					
60	85	100	YUO80	13,560	YU80	18,200	YUB80	19,480	RHU-80/3	90	CU80-90	800	830	880					
70	100	110	YUO90	16,260	YU90	21,050	YUB90	22,180	RHU-80/5	75,90,97	100~125R	840	870	910					
80	136	136	YNO100	18,500	YN100	23,900	YNB100	24,890	RHN180/1	95,125,160	100~125R	1,240	-	1,600					
85	150	150	YNO125	19,950	YN125	24,800	YNB125	25,460	RHN180/2	95,125,160	CN150	1,420	-	2,130					
100	175	175	YNO150	42,000	YN150	44,000	YNB150	45,100	RHN180/3/4	160,185	180~300	2,340	-	3,290					
125	225	225	YNO180	51,000	YN180	53,000	YNB180	54,000	RHN300/P	200,240,280,336	CN300	3,600	-	4,400					
150	250	250	YNO220	61,000	YN220	64,000	YNB220	65,000	RHU80/P	25,~97	獨立型	860	890	940					
200	300	350	YNO300	76,600	YN300	81,000	YNB300	82,000	RHN180/P	95~185	獨立型	2,540	-	3,390					

訂購請洽普萊格 Tel:(02)2226-8250 分機#

Fax:(02)2226-8245

普萊格企業(有)公司 編製